FLOOR ENCLOSURE 420 SERIES 27.5" x 32" Size Group



Width 27.5" - Depth 32"

Features:

- ▶ Vented on all panels for excellent air circulation characteristics.
- ▶ Top panel features cutouts for fans and cutouts for cable access. Platform features cutouts for cable access.
- Features 4 fully adjustable internal equipment cage nut rails for #12-24 mounting screws in EIA universal spacing.
- Comes packaged complete with front door, rear and side panels, leveling feet, casters, grounding bus bar, 2 pre-installed 80 CFM fans and equipment screws.
- Acrylic framed reversible door.
- ► Each enclosure supplied with cage nut hardware set.
- ▶ Meets or exceeds EIA 310D standards.
- ▶ Electrostatic microfinish paint.
- ▶ Ships fully assembled.




Specifications				AWG						
Sock No.	Height	Format	RU	Color	Structure	Side Panels	Top Panel	Rear Panel	Front Door	Base
FE4219-40-01	6'	19"	40 RU	lvory	16	16	16	16	16	14
FE4219-40-02	6'	19"	40 RU	Black	16	16	16	16	16	14
FE4219-45-01	7'	19"	45 RU	lvory	16	16	16	16	16	14
FE4219-45-02	7'	19"	45 RU	Black	16	16	16	16	16	14


RU = Rack Units





FLOOR ENCLOSURE 420 SERIES 27.5" x 32" Size Group

Width 27.5" Depth 32"









Smoked Acrylic



FLOOR ENCLOSURE 420 SERIES 27.5" X 32" Size Group



Width 27.5" - Depth 32"

External Dimensions Product Package B- Width C - Depth Load Capacity Height RU A - Height Width Depth Shipping Weight 40 RU 27.5" 32" 730 lbs 78" 30.5" 34.5" 254 lbs 45 RU 27.5" 820 lbs 88" 34.5" 263 lbs 32" 30.5"

RU = Rack Units

Internal Dimensions											
P. 1. 1											
Product											
RU	A - Height	B- Width	C - Depth	Load Capacity							
40 RU	70"	25.2"	29.5"	730 lbs							
45 RU	78.75"	25.2"	29.5"	820 lbs							

