

# WALL MOUNT ENCLOSURE 200 Series - Removable Side Panels



Width 20.5" - Depth 20"

### Features:

- ▶ Features removable side panels for easy access to equipment.
- ▶ Comes complete with equipment mounting hardware and one pre-installed ventilation 80 cfm fan.
- ▶ Front door is reversible for left or right side opening.
- ▶ Smoked acrylic door. Steel frame with key lock.
- ▶ Meets or Exceeds EIA-310D Standards.
- ▶ Electrostatic microfinish paint.
- ▶ Ships fully assembled.



### Colors:



Black



Ivory

Custom colors and configurations available. Minimum quantities apply.

Specifications					AWG				
Stock No.	Height	Format	RU	Color	Structure	Top Panel	Front Door	Bottom Panel	Side Panel
WM2019-05-01	11"	19"	5 RU	Ivory	18	20	20	20	20
WM2019-05-02	11"	19"	5 RU	Black	18	20	20	20	20
WM2019-07-01	15"	19"	7 RU	Ivory	18	20	20	20	20
WM2019-07-02	15"	19"	7 RU	Black	18	20	20	20	20
WM2019-09-01	18"	19"	9 RU	Ivory	18	20	20	20	20
WM2019-09-02	18"	19"	9 RU	Black	18	20	20	20	20
WM2019-11-01	22"	19"	11 RU	Ivory	18	20	20	20	20
WM2019-11-02	22"	19"	11 RU	Black	18	20	20	20	20
WM2019-14-01	26"	19"	14 RU	Ivory	18	20	20	20	20
WM2019-14-02	26"	19"	14 RU	Black	18	20	20	20	20
WM2019-16-01	31"	19"	16 RU	Ivory	18	20	20	20	20
WM2019-16-02	31"	19"	16 RU	Black	18	20	20	20	20


RU = Rack Units



# WALL MOUNT ENCLOSURE 200 Series - Removable Side Panels


Width 20.5" - Depth 20"

**Cable Access** ▼




Top and bottom panels features cutouts for cable access.

**Vented Panels** ▼



Vented front, rear, side and top panels for excellent air circulation characteristics.

**Adjustable Rails** ▼



Designed with internal adjustable cage nut rails for #12-24 mounting screws in accordance with EIA standards.



**Removable Side Panels** ▼



Easy access to equipment and wiring. Side panels are key-locked for secure access.

# WALL MOUNT ENCLOSURE 200 Series - Removable Side Panels



Width 20.5" - Depth 20"

External Dimensions								
Product					Package			
RU	A - Height	B - Width	C - Depth	Load Capacity	Height	Width	Depth	Shipping Weight
5 RU	11"	20.5"	20"	30 lbs	13"	23"	22"	24 lbs
7 RU	15"	20.5"	20"	50 lbs	17"	23"	22"	28 lbs
9 RU	18"	20.5"	20"	70 lbs	20"	23"	22"	35 lbs
11 RU	22"	20.5"	20"	90 lbs	24"	23"	22"	40 lbs
14 RU	27"	20.5"	20"	120 lbs	29"	23"	22"	43 lbs
16 RU	31"	20.5"	20"	130 lbs	33"	23"	22"	49 lbs

RU = Rack Units

Internal Dimensions				
Product				
RU	A - Height	B - Width	C - Depth	Load Capacity
5 RU	8.75"	19"	15"	30 lbs
7 RU	12.25"	19"	15"	50 lbs
9 RU	15.75"	19"	15"	70 lbs
11 RU	19.25"	19"	15"	90 lbs
14 RU	24.50"	19"	15"	120 lbs
16 RU	28"	19"	15"	130 lbs

