

WALL MOUNT ENCLOSURE 300 Series - Swing-Out



Width 20.5" - Depth 23"

Features:

- ▶ Features a swing-out design.
- ▶ Comes complete with equipment mounting hardware and one pre-installed ventilation 80 cfm fan.
- ▶ Front door is reversible for left or right side opening.
- ▶ Meets or Exceeds EIA-310D Standards.
- ▶ Electrostatic microfinish paint.
- ▶ Ships fully assembled.



Colors:



Black



Ivory

Custom colors and configurations available. Minimum quantities apply.

Specifications					AWG				
Stock No.	Height	Format	RU	Color	Structure	Top Panel	Front Door	Bottom Panel	Side Panels
WM3019-07-01	15"	19"	7 RU	Ivory	20	20	20	20	16
WM3019-07-02	15"	19"	7 RU	Black	20	20	20	20	16
WM3019-09-01	18"	19"	9 RU	Ivory	20	20	20	20	16
WM3019-09-02	18"	19"	9 RU	Black	20	20	20	20	16
WM3019-11-01	22"	19"	11 RU	Ivory	20	20	20	20	16
WM3019-11-02	22"	19"	11 RU	Black	20	20	20	20	16
WM3019-14-01	26"	19"	14 RU	Ivory	20	20	20	20	16
WM3019-14-02	26"	19"	14 RU	Black	20	20	20	20	16
WM3019-16-01	31"	19"	16 RU	Ivory	20	20	20	20	16
WM3019-16-02	31"	19"	16 RU	Black	20	20	20	20	16

RU = Rack Units



WALL MOUNT ENCLOSURE 300 Series - Swing-Out

Width 20.5" - Depth 23"

Swing-Out Design ▼



Features a swing-out design which provides access to component rear panels.

Vented Panels ▼




Vented front, side and rear panels for excellent air circulation characteristics.

Cable Access ▼



Top and bottom panels feature cutouts for cable access.

Front Door ▼



Front door is reversible for left or right side opening. Key lock pre-mounted on door

Adjustable Rails ▼



Designed with adjustable internal cage nut rails for #12-24 mounting screws in accordance with EIA standards.



WALL MOUNT ENCLOSURE 300 Series - Swing-Out



Width 20.5" - Depth 23"

External Dimensions								
Product					Package			
RU	A - Height	B - Width	C - Depth	Load Capacity	Height	Width	Depth	Shipping Weight
7 RU	15"	20.5"	23"	30 lbs	17"	23"	25.5"	43 lbs
9 RU	18"	20.5"	23"	50 lbs	20"	23"	25.5"	48 lbs
11 RU	22"	20.5"	23"	60 lbs	24"	23"	25.5"	55 lbs
14 RU	26"	20.5"	23"	75 lbs	29"	23"	25.5"	62 lbs
16 RU	31"	20.5"	23"	90 lbs	33"	23"	25.5"	68 lbs

Internal Dimensions				
Product				
RU	A - Height	B - Width	C - Depth	Load Capacity
7 RU	12.25"	19"	15"	30 lbs
9 RU	15.75"	19"	15"	50 lbs
11 RU	19.25"	19"	15"	60 lbs
14 RU	24.50"	19"	15"	75 lbs
16 RU	28"	19"	15"	90 lbs

