



RNI-1500

020-028-20



Product Description

The RNI-1500 Series enclosure is constructed with UV stabilized plastic, standard gray color. Removable door has dual locking systems and accepts custom logos/imprints. Cable entry points can be found on the bottom of this enclosure. Countersunk mounting holes for easy mounting on uneven surfaces.

Specifications

Parameter	Specification
Dimensions:	11.88" x 12.27" x 4.86"
UOM:	10 / Case
Material:	UV Stabilized Plastic
Weight:	20 lbs.
Mounting:	Wall
Cable Entrance:	Captive
Security:	Hex wrench latch Pad lock fitting
Standards:	No
Application:	Indoor/Outdoor
NEMA / EEMAC:	No

FlexGrid Backing:	No
Custom Logo Mold:	Yes
Cover:	Removable

Contact Us

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: lasupport@gomultilink.com

Multilink®

Innovation At Work



Multilink Inc.
 580 Ternes Ln
 Elyria, OH 44035
 Tel: (440) 366-6966
 Fax: (440) 366-6802



facebook.com/GoMultilink1



twitter.com/GoMultilink



youtube.com/GoMultilink

© Multilink Inc. 2019 • All Rights Reserved

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: lasupport@gomultilink.com

Contact Us