



PMO-14RU-N4-AC-BAT-PG Pole Mount Enclosure w/ Battery Drawer

030-151-10

Product Description

Multilink engineers and manufactures Multiple Dwelling Units (MDU), Plastic Demarcation Enclosures, Environmentally Controlled Enclosures, Backhaul 12RU, Ground / Wall / Pole Mount, OTN Cabinets, and custom specification solutions. Products are available in plastic, steel, stainless steel, and aluminum materials. Our enclosures integrate wiring and electronic components with Six Sigma quality standards.

Specifications

Parameter	Specification
Dimensions:	28"W x 43"H x 23"D
UOM:	Each
Color:	Gray
Weight:	205 lbs
Main Body:	1/8" Aluminum
Hardware:	Type 304 Stainless Steel
Finish:	Polyester Powder Coat
Mounting:	All components are grounded to the main copper bus bar
Cable Entrance:	(3) Group 31 or (3) Group 24 or (3) Group 27
Rack:	19" Width 14RU Height 10-32 Threads EIA/TIA Spacing

Door:	3 Point Latch Piano Hinge Wind Stop
Heating & Cooling:	Standard - (2) 3" conduit entrances located in the bottom rear of the compartment With Battery Drawer - (2) 2.5" conduit entrances located in the back wall
Grounding:	1400-1600 BTU Air Conditioner
Powering:	60 Amp Service Entrance AC Load Center (2) Duplex Outlets, 125V 20 Amp Breaker

Contact Us

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: lasupport@gomultilink.com

Multilink®

Innovation At Work



Multilink Inc.
 580 Ternes Ln
 Elyria, OH 44035
 Tel: (440) 366-6966
 Fax: (440) 366-6802



facebook.com/GoMultilink1



twitter.com/GoMultilink



youtube.com/GoMultilink

© Multilink Inc. 2019 • All Rights Reserved

Contact Us

North America	Europe, Middle East & Africa	Latin & South America
Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: engsupport@gomultilink.com	Tel: +1 440 366 6966 Fax: +1 440 366 6802 Email: lasupport@gomultilink.com