



Floor Enclosures & Power Strips

NEW

6ft. 42U Floor Enclosures with Reversible Acrylic or Vented Steel Mesh Front Door



NEW SIZE

<u>Size</u>	<u>Acrylic Door</u>	<u>Steel Mesh Door</u>
Height Width Depth		
84" x 23" x 23"	FE4019-42-02	FE7019-42-02
84" x 23" x 31"	FE4119-42-02	FE7119-42-02
84" x 27" x 23"	FE4219-42-02	FE7219-42-02
84" x 27" x 34"	FE4319-42-02	FE7319-42-02
84" x 27" x 42"	---	FE7419-42-02

- New 6ft (42U) Height
- Vented Steel or Acrylic Front Doors
- Dual Locking Vented Rear Doors
- Adjustable Front & Rear Cage Nut Rails
- 19" Mounting Format
- Dual Pre-Installed Venting Fans
- Locking Casters & Leveling Feet
- Ships Knockdown or Assembled
- Mounting Hardware Included
- Complies with EIA/ECA-310-E

14-Outlet 120VAC/20A 19" Horizontal/Vertical Surge Strip

Item No. HPS-E14



- EMI/RFI Surge Type
- (6) Front / (8) Rear 120VAC/20A Outlets
- 3-Line Surge Protected
- 6ft 14AWG Cord
- Metal Housing w/Vertical Mount Brackets

30-Outlet 120VAC/20A 6ft. Rack Mount Vertical Power Strip

Item No. VPS-3006
w/Ammeter VPS-3006M



DIGITAL AMMETER BUILT-IN



- 72" height for use in 40U & 45U Enclosures
- (30) 120VAC/20A Outlets
- 15ft 14AWG Cord
- With or Without Built-In Ammeter
- Includes LED Display on 'M' Model





Cable Managers

NEW

1U 19" Horizontal Brush Filler Panel



- 19" Mounting Format **Size** **Item No.**
- Open Bottom Nylon **1U (1.75" h)** **HB19-01-025**
- Brushes Allows Dust-Free Cable Pass-Through
- For Rack and Enclosure Use

2U 19" Dual-Sided Finger Duct Cable Manager

Size **Item No.**
2U (3.5" h) **HF19-02-200D**



- 200 Cable Capacity
- Flexible Easy Front & Rear Access Finger Duct
- For Rack and Enclosure Use

Super-Flexible D-Ring Cable Managers

Size	Cable Capacity	Item No.
Width Height		
2" x 3.25"	25	VD-00-025
3.25" x 3.25"	34	VD-00-034
3.25" x 5.7"	70	VD-00-070



- 1U Mounting Format
- 25/34/70 Cable Capacity
- Super-Flexible High Resistant Nylon
- Comes with a Cage Nut & Screw Hardware Set
- For Rack, Enclosure & Wall Mount Installation

6ft Dual-Sided Finger-Duct Vertical Cable Managers

For Open Frame Racks
(140 Capacity)
Item No. VR-07-140

For Floor Enclosures
(140 Capacity)
Item No. VF-07-140

- For use in 40U & 45U Enclosures & Open Frame Floor Racks
- Fits 70 Cables per Side
- Easy Removable Cover Lid
- Cold Rolled Steel Plate with Flexible PVC Finger Duct
- No Assembly Required
- 2.2" w x 6.4" d x 72" h



Open Frame 7ft. Steel Rack w/Locking Casters



7ft Steel Rack w/Locking Casters and Dual-Sided Cage Nut Rails
Item No. FR1907-45-02SC

- Heavy Duty Floor Mount - 7ft (45U)
- Dual Front & Rear Cage Nut Rails (#12-24)
- 19" Mounting Format
- Locking Casters
- Easy Assembly Required
- Mounting Hardware Included
- Complies to EIA/ECA-310-E

Open Frame 7ft. Steel Rack w/Tapped Rails



7ft Steel Rack with Dual-Sided Tapped Rails
Item No. FR1907-45-02S

- Heavy Duty Floor Mount - 7ft (45U)
- Dual Front & Rear Tapped Rails (#12-24)
- 19" Mounting Format
- Easy Assembly Required
- Mounting Hardware Included
- Complies to EIA/ECA-310-E

Open Frame 7ft. Steel Rack Configurable from 2 to 4 Posts



2-Post Open Frame Rack
Item No. FR1907-45-02L

4-Post Expansion Kit
Item No. FR1907-45-02LE

4-Post Open Frame Rack
Item No. FR1907-45-02LEK

- Floor Mount - 7ft (45U)
- Single Front & Rear Tapped Rails (#12-24)
- 19" Mounting Format
- Easy Assembly Required
- Mounting Hardware Included
- Complies to EIA/ECA-310-E



Deep Wallmount Enclosures, Security Lock Box & more...



Caster Trays for Wall Mount Enclosures



<u>Size</u>	<u>Item No.</u>
20"	WMCT-16-02
28"	WMCT-28-02

- 2 Sizes for Standard & Deep Wall Mount Enclosures
- Depth:
20" for 5U-16U Enclosures
28" for 20U-28U Enclosures
- Locking Casters
- Cold Rolled Steel Frame
- Easy Assembly Required

Adjustable Heavy-Duty Slide-Out Shelves



<u>Item No.</u>	<u>Collapsed/Extended</u>	
ES0119-0121	21"	32"
ES0119-0123	26"	37"

- Low Profile (1U)
- 19" 4-Point Mount
- Heavy Duty 14AWG Cold-Rolled Steel
- Load Capacity up to 250lbs.
- Assembled and "Ready-to-Install"

DVR/NVR Locking Security Enclosures



<u>Front Door</u>	<u>Item No.</u>
Acrylic	SE0920-21-02A
Vented Steel	SE0920-21-02

- 21"d x 20"w x 9"h
- Removable Top for Easy Access
- Locking Clear Acrylic Window for IR Capability or Vented Solid Front Door
- Internal Single 1U Rear Mount Ideal for Power Strip Installation
- 19" Format with 24" Internal Depth
- Preinstalled Fan for Cooling
- Assembled "Ready-to-Install"
- Optional Wall Brackets are Available (# WB-SE-02)

Extra Deep 300 Series Swing-Out Wall Mount Enclosures

<u>Size</u>	<u>Item No.</u>
16U (30.5"h)	WM3019-16-02D
20U (38.5"h)	WM3019-20-02D
24U (47.5"h)	WM3019-24-02D
28U (52.5"h)	WM3019-28-02D



- Extra Deep Usable Space
- 19" Format with 24" Internal Depth
- Swing-Out Feature for Easy Rear Access
- Locking Smoked Acrylic & Reversible Front Doors
- Vented Fixed Side Panels
- Preinstalled Ventilation Fan
- Includes Front Cage Nut Rails
- Assembled "Ready-to-Install"
- Compliant to EIA/ECA-310-E

**New
Sizes**

Extra Deep 200 Series Wall Mount Enclosures



**New
Sizes**

<u>Size</u>	<u>Item No.</u>
9U (20.5"h)	WM2019-09-02D
11U (23.0"h)	WM2019-11-02D
20U (38.5"h)	WM2019-20-02D
28U (52.5"h)	WM2019-28-02D

- Extra Deep Usable Space
- 19" Format with 24" Internal Depth
- Locking Smoked Acrylic & Reversible Front Doors
- Removable Locking Vented Side Panels
- Preinstalled Ventilation Fan
- Includes Front & Rear Cage Nut Rails
- Assembled "Ready-to-Install"
- Compliant to EIA/ECA-310-E



Hinged Vertical Wall Mount Brackets *for Facilities Requiring Low Profile Installations*



<u>Size</u>	<u>Item No.</u>
2U	WV19-0205H
3U	WV19-0307H
4U	WV19-0409H



Hin

- Hinged Low Profile Design
- Tapped Rails (#12-24)
- 19" Mounting Format
- 16AWG Cold Rolled Steel Construction
- Cable Tie Slots for Securing Cables
- No Assembly Required

24" Deep Open Frame Swing-Out Wall Racks



<u>Size</u>	<u>Item No.</u>
20U (3ft.)	SR1935-20-02D
25U (4ft.)	SR1943-25-02D

- Swing-Out Design
- Wall Mount -20U & 25U
- Tapped Rails (#12-24)
- 19" Mounting Format
- Aluminum Construction
- Easy Assembly Required

Swing-Out Open Frame Wall Racks Adjustable 18" to 26"



<u>Size</u>	<u>Item No.</u>
12U (21" h)	SR1921-12-02
18U (32" h)	SR1921-18-02
25U (49" h)	SR1921-25-02

- Adjustable: 18"-26" deep
- Swing-Out Design
- Wall Mount -12U
- Tapped Rails (#12-24)
- 19" Mounting Format
- Aluminum Construction
- Easy Assembly Required

Fixed Open Frame Wall Rack Adjustable 18" to 26"



<u>Size</u>	<u>Item No.</u>
12U (20" h)	WR1921-12-02

- Adjustable: 18"-26" deep
- Fixed Mount Design
- Wall Mount -12U
- Tapped Rails (#12-24)
- 19" Mounting Format
- Aluminum Construction
- Easy Assembly Required



Cable Tray System



Wire Mesh Cable Tray



No Special Bends, Risers, T-Junctions or Reducers Needed

Cut & Shape to Custom Configurations



Scan to view Cable Tray Video



Scan to visit QuestTechnologyIntl.com

Distributed by:

Quest Technology International, Inc.

11200 NW 138th Street, Medley FL 33178
Tel: 305.513.8583 Fax:305.513.9675 TF:800.280.1067



Scan to visit QuestManufacturing.net