



- KEY FEATURES -

- Versatile design, modular and easily Capable to accommodate various equipment such as wireless connectivity, Cat 6, VOIP, ONTs, gateways, battery backup and SOHO access modules.
- Can be wall-mounted or installed between studs utilizing builtin mounting ears.
- Includes multiple knock-outs to accommodate cables and AC power.
- Easily relocate modules using provided push-pins.
- Hinged door with lock-set option, door can be relocated on either side of enclosure.
- Built-in louvres for improved heat dissipation.
- Unique mounting grid organizes components in a square when mounting to the inside of the enclosure for easy access and management.
- Constructed with ABS thermoplastic to reduce electrical interference with wireless components.
- UL 1863 listed.

RESIDENTIAL RBP ENCLOSURES



15" Fully Populated

─ ORDERING INFORMATION ─


Part No.	Description		
ENCLOSURE			
RBP-S15C-FP	Includes all accessories listed below		
RBP-S15C	15" Residential Enclosure with vented door		
ACCESSORIES			
RBP-LS	Lockset for RBP Residential Enclosures		
62KVDM	6-Way 5-2300MHz Vertical Distribution Module		
8458JPL-C6C	8-port Category 6 Jack Patch Panel		
SC10100	8 Port 10/100/1000 Gigabit Switch		
RBP-DMP	Device Mounting Plate		
OFSB-01	Optical Fiber Splice Box		
AFP003-K34	Fiber Cable Spool		
C6-115BU-1FB	Cat6 1ft Patch Cord Blue		
99-FR-2	Snap in Fastener FR-2 BK		



15" Half Populated

ORDERING INFORMATION -

Part No.	Description	
ENCLOSURE		
RBP-S15C-HP	Includes all accessories listed below.	
RBP-S15C	15" Residential Enclosure with vented door	
ACCESSORIES		
62KVDM	6-Way 5-2300MHz Vertical Distribution Module	
8458JPL-C6C	8-port Category 6 Jack Patch Panel	
SC10100	8 Port 10/100/1000 Gigabit Switch	
RBP-DMP	Device Mounting Plate	
C6-115BU-1FB	Cat6 1ft Patch Cord Blue	
99-FR-2	Snap in Fastener FR-2 BK	



30" Fully Populated

ORDERING INFORMATION -

Part No.	Description	
ENCLOSURE		
RBP-S30C-FP	Includes all accessories listed below	
RBP-S30C	30" Residential Enclosure with vented door	
ACCESSORIES		
RBP-LS	Lockset for RBP Residential Enclosures	
62KVDM	6-Way 5-2300MHz Vertical Distribution Module	
8458JPL-C6C	8-port Category 6 Jack Patch Panel	
SC10100	8 Port 10/100/1000 Gigabit Switch	
RBP-DMP	Device Mounting Plate	
OFSB-01	Optical Fiber Splice Box	
AFP003-K34	Fiber Cable Spool	
C6-115BU-1FB	Cat6 1ft Patch Cord Blue	
99-FR-2	Snap in Fastener FR-2 BK	



30" Half Populated

ORDERING INFORMATION

ORDERING IN ORMATION		
Part No.	Description	
ENCLOSURE		
RBP-S30C-HP	Includes all accessories listed below.	
RBP-S30C	30" Residential Enclosure with vented door	
ACCESSORIES		
62KVDM	6-Way 5-2300MHz Vertical Distribution Module	
8458JPL-C6C	8-port Category 6 Jack Patch Panel	
SC10100	8 Port 10/100/1000 Gigabit Switch	
RBP-DMP	Device Mounting Plate	
C6-115BU-1FB	Cat6 1ft Patch Cord Blue	
99-FR-2	Snap in Fastener FR-2 BK	

COAXIAL MODULE



- KEY FEATURES -

- ▶ 6 television outlets for Distributing Video Signal.
- Push-pins for easy and quick installation in Signamax Residential Enclosure.
- Transmission Performance up to 2G.
- Plastic Bracket reduces signal interferance.

ORDERING INFORMATION -

Part No. Description

COAXIAL RESIDENTIAL ENCLOSURE MODULES

62KVDM

6-Way 5-2300MHz Vertical Distribution Module

PATCH PANEL MODULE



- KEY FEATURES -

- > 8 data ports for distributing data signals.
- Push-pins for easy and quick installation in Signamax Residential Enclosure.
- Supports Cat6 Performance.
- Plastic Bracket reduces signal interferance.

ORDERING INFORMATION

Part No. Description

RESIDENTIAL PATCH PANEL MODULES

8458JPL-C6C 8-port Category 6 Jack Patch Panel

FIBER SPLICE BOX



NETWORK SWITCH MODULE



SPOOL MODULES

- KEY FEATURES -

- ▶ Telcordia GR-769 compliant.
- ▶ Four slots for fusion splice protection sleeves.
- Capacity for two DX LC or two SX SC adapters.
- Available to mount on either standard American or European wall box/bracket or flat surfaces (wall, board,etc.).
- Constructed in ABS thermoplastic.
- Typical applications are interconnection points, transition points, FTTx, POL, etc.



- KEY FEATURES -

- Zero touch Plug and Play connectivity.
- Fanless for silent operation.
- Energy Efficient.
- Compact size.



ORDERING INFORMATION

Part No.

Description

RESIDENTIAL FIBER SPLICE BOX MODULES

OFSB-01

Optical Fiber Splice Box

AFP003-K34

Fiber Cable Spool

ORDERING INFORMATION -

Part No.

Description

RESIDENTIAL NETWORK SWITCH MODULE

SC10100

C-100 8 Port Gigabit Switch

DMP-RB

Device Mounting Plate

